



PRIMOR

Electronic Appliances

PRIMOR SMART LCD TV



PRIMOR I

LED TV

ATV -24''

Intelligent HD Smart LED TV



Item No.	LD24D6	Connectors	
Size	24"	WITH Wifi	Can Choose
Aspect Ratio	16:9	HDMI input	x1
Resolution	1366*768	VGA input	x1
Life	50000Hrs	Component video input	x1
Voltage	90-260V	AV input	x1
Frequency	50/60Hz	Computer input	x1
Power consumption	≤25W	USB	x1
Standby power	≤0.5W	Headphone output	x1
Sleep Time	Yes		
Carton size	600*105*375mm		

PRIMOR I

LED TV

ATV -32''

Intelligent HD Smart LED TV



Item No.	LD32D8	Connectors	
Size	32"	WITH Wifi	Can Choose
Aspect Ratio	16:9	HDMI input	x1
Resolution	1366*768	VGA input	x1
Life	50000Hrs	Component video input	x1
Voltage	90-260V	AV input	x1
Frequency	50/60Hz	Computer input	x1
Power consumption	≤45W	USB	x2
Standby power	≤0.5W	Headphone output	x1
Sleep Time	Yes		
Carton size	770*100*485mm		

PRIMOR |

LED TV

ATV - 40''

Intelligent HD Smart LED TV



Item No.

LD40D8

Connectors

Size	40''
Aspect Ratio	16:9
Resolution	1366*768
Life	50000Hrs
Voltage	90-260V
Frequency	50/60Hz
Power consumption	≤65W
Standby power	≤0.5W
Sleep Time	Yes
Carton size	935*110*560mm

WITH Wifi	Can Choose
HDMI input	x2
VGA input	x1
Component video input	x1
AV input	x1
Computer input	x1
USB	x2
Headphone output	x1

PRIMOR |

LED TV

ATV - 43''

Full HD Frameless LED TV



Item No.

LD43F1

Connectors

Size	43''
Aspect Ratio	16:9
Resolution	1920*1080
Life	50000Hrs
Voltage	90-260V
Frequency	50/60Hz
Power consumption	≤75
Standby power	≤0.5W
Sleep Time	Yes
Carton size	1000*125*635mm
Tempered glass	without

WITH Wifi	Can Choose
HDMI input	x2
VGA input	x1
Component video input	x1
AV input	x1
Computer input	x1
USB	x2
Headphone output	x1

PRIMOR I

LED TV

ATV -50''

4K Frameless LED TV



Item No.	LD50F1	Connectors	
Size	50"	WITH Wifi	Can Choose
Aspect Ratio	16:9	HDMI input	x2
Resolution	3840*2160	VGA input	x1
Life	50000Hrs		
Voltage	90-260V	Component video input	x1
Frequency	50/60Hz	AV input	x1
Power consumption	≤108W	Computer input	x1
Standby power	≤0.5W	USB	x2
Sleep Time	Yes	Headphone output	x1
Carton size	1154*125*722mm		
Tempered glass	without		

PRIMOR I

LED TV

DTV SMART-50''

4K Frameless LED TV



Item No.	LD50F1	Connectors	
Size	50"	WITH Wifi	Can Choose
Aspect Ratio	16:9	HDMI input	x3
Resolution	3840*2160	Antenna	Yes
Life	50000Hrs		
Voltage	90-260V	Component video input	x1
Frequency	50/60Hz	AV input	x2
Power consumption	≤108W	LAN	Yes
Standby power	≤0.5W	USB	x2
Sleep Time	Yes	Headphone output	x1
Carton size	1154*125*722mm		
Tempered glass	without		

PRIMOR I

LED TV

DTV SMART-55''

4K Frameless LED TV



Item No.	LD55F1	Connectors	
Size	55"	WITH Wifi	Can Choose
Aspect Ratio	16:9	HDMI input	x3
Resolution	3840*2160	Antenna	Yes
Life	50000Hrs		
Voltage	90-260V	Component video input	x1
Frequency	50/60Hz	AV input	x2
Power consumption	≤138W	LAN	Yes
Standby power	≤0.5W	USB	x2
Sleep Time	Yes	Headphone output	x1
Carton size	1280*138*800mm		
Tempered glass	without		

PRIMOR I

LED TV

DTV SMART-65''

4K Frameless LED TV



Item No.	LD65F1	Connectors	
Size	65"	WITH Wifi	Can Choose
Aspect Ratio	16:9	HDMI input	x3
Resolution	3840*2160	Antenna	Yes
Life	50000Hrs		
Voltage	90-260V	Component video input	x1
Frequency	50/60Hz	AV input	x2
Power consumption	≤138W	LAN	Yes
Standby power	≤0.5W	USB	x2
Sleep Time	Yes	Headphone output	x1
Carton size	1490*140*913mm		
Tempered glass	without		



PRIMOR REFRIGERATOR

PRIMOR |

REFRIGERATOR

PID-128DDR



Model	PID-128DDR
Total Capacity/L	128 L
Net Fridge Capacity	88 L
Freezer Capacity/L	40 L
Product Size/mm	455x509x1280
Package Size/mm	465x540x1300
Power Supply	AC 220-240V,50Hz
Condenser	Outside
External Handle	yes
Lock/Key	yes
Lamp/Light	yes
Refrigerant	R134a
Fridge Cabinet	2 big steel Shelves + 1 Small Glass Cover
Loading-Units	40HC




PRIMOR |

REFRIGERATOR

PID-170DDR



Model	PID-170DDR
Total Capacity/L	170 L
Net Fridge Capacity	118 L
Freezer Capacity/L	52 L
Product Size/mm	525x512x1280
Package Size/mm	570x540x1310
Power Supply	AC 220-240V,50Hz
Condenser	Outside
External Handle	yes
Lock/Key	yes
Lamp/Light	yes
Refrigerant	R134a
Fridge Cabinet	2 big steel Shelves + 1 Small Glass Cover
Loading-Units	40HC



PRIMOR |

REFRIGERATOR

PID-213DDR



Model	PID-213DDR
Total Capacity/L	213 L
Net Fridge Capacity	168 L
Freezer Capacity/L	45 L
Product Size/mm	548x560x1421
Package Size/mm	580x590x1445
Power Supply	AC 220-240V,50Hz
Condenser	Outside
External Handle	yes
Lock/Key	yes
Lamp/Light	yes
Refrigerant	R134a
Fridge Cabinet	1 big steel Shelves
Loading-Units	40HC




PRIMOR |

REFRIGERATOR

PID-280DDR



Model	PID-280DDR
Total Capacity/L	280 L
Net Fridge Capacity	224 L
Freezer Capacity/L	56 L
Product Size/mm	548x560x1715
Package Size/mm	580x590x1740
Power Supply	AC 220-240V,50Hz
Condenser(insideoutside)	Outside
External Handle	yes
Lock/Key	yes
Lamp/Light	yes
Refrigerant	R134a
Fridge Cabinet	1 big steel Shelves
Loading-Units	40HC



PRIMOR |

REFRIGERATOR

PID-350DDR



Model	PID-350DDR
Total Capacity/L	326 L
Net Fridge Capacity	248 L
Freezer Capacity/L	78 L
Power Supply	AC 220-240V,50Hz
Condenser(inside/outside)	Outside
Lock/Key	yes
Lamp/Light	yes
Refrigerant	R134a
Fridge Cabinet	1 big steel Shelves
Loading-Units 40HC	76




PRIMOR |

REFRIGERATOR

PID-450DDR



Model	PID-450DDR
Total Capacity/L	420 L
Net Fridge Capacity	315 L
Freezer Capacity/L	105 L
Product Size/mm	705x625x1760
Package Size/mm	745x660x1800
Power Supply	AC 220-240V,50Hz
Condenser(inside/outside)	Outside
External Handle	yes
Lock/Key	yes
Lamp/Light	yes
Refrigerant	R134a
Fridge Cabinet	1 big steel Shelves
Loading-Units 40HC	73



PRIMOR |

CHEST FREEZER

PAO-248SD



Model	PAO-248SD
Freezer Capacity/L	208
Climate Type	N/T
Power	220-240V/50Hz
Refrigerant	R134a
Product Size/mm	950x555x845
Package Size/mm	985x584x865
Net/Packing/Kg	38/41
Loading-Units 40HC	143
Condenser	Outside
External Handle	yes
Lock/Key	yes
Lamp/Light	yes
Inside Slide Door	yes




PRIMOR |

CHEST FREEZER

PAO-250SD




Model	PAO-250SD
Freezer Capacity/L	250
Climate Type	T
Power	220-240V/50Hz
Refrigerant	R134a
Product Size/mm	946x635x843
Package Size/mm	985x660x865
Net/Packing/Kg	40.5/44
Loading-Units 40HC	124
Condenser	Outside
External Handle	yes
Lock/Key	yes
Lamp/Light	yes
Inside Slide Door	yes



PRIMOR |

CHEST FREEZER

PAO-300SD




Model	PAO-300SD
Freezer Capacity/L	300
Climate Type	N.S.T
Power	220-240V/50Hz
Refrigerant	R134a
Product Size/mm	1113x635x845
Package Size/mm	1150x660x865
Net/Packing/Kg	46/50
Loading-Units 40HC	106
Condenser	Outside
External Handle	yes
Lock/Key	yes
Lamp/Light	yes
Inside Slide Door	yes



PRIMOR |

CHEST FREEZER

PAO-350SD



Model	PAO-350SD
Freezer Capacity/L	350
Climate Type	N.S.T
Power	220-240V/50Hz
Refrigerant	R134a
Product Size/mm	1266x635x843
Package Size/mm	1305x660x870
Net/Packing/Kg	48/52
Loading-Units 40HC	80
Condenser (inside/outside)	Outside
External Handle	yes
Lock/Key	yes
Lamp/Light	yes
Inside Slide Door	yes



PRIMOR |

CHEST FREEZER

PAO-400SD



Model	PAO-400SD
Freezer Capacity/L	400
Climate Type	N.S.T
Power	220-240V/50Hz
Refrigerant	R134a
Product Size/mm	1350x705x845
Package Size/mm	1380x730x870
Net/Packing/Kg	55/59
Loading-Units 40HC	73
Condenser	Outside
External Handle	yes
Lock/Key	yes
Lamp/Light	yes
Inside Slide Door	yes



PRIMOR |

SHOWCASE

PIT-278/358SC



Model	PIT-278SC	PIT-358SC
Capacity/L	278L	358L
Freezer Capacity/L	220	290
Climate Type	T	T
Cooling Type	Direct	Direct
Moveable Wheel	No	No
Handle	yes	yes
Lock /key	yes	yes
Basket/Meshes	4	4
Refrigerant	R134a	R134a
Weight/Kg (Net)	50	62
Weight/Kg (Gross)	55	64.5
Product Size/mm	555x570x1800	595x570x1920
Package Size/mm	585x630x1880	660x620x2000
Loading-Units 40HC	104	76
Power	220-240V/50Hz	220-240V/50Hz
Light	LED	LED
Condensor	Outside	Outside
Inner Glass Door	Yes	Yes





PRIMOR AIR CONDITIONER



PRIMOR I

SPLIT AC

P-9000



Model	P-9000
Cpactiy(btu)	9000
Loading Qty(pcs/40hq)	347
Refrigerant	R410A
Power	220-240V/50HZ
Compressor Type	T1
Remote	On/Off
Cooling	Yes
Heating	yes

Include 3m copper piping & cable



PRIMOR I

SPLIT AC

P-12000



Model	P-12000
Cpactiy(btu)	12000
Indoor Size(mm)	784x311x262
Outdoor Size(mm)	700x551x256
Loading Qty(pcs/40hq)	246
Refrigerant	R410A
Power	220-240V/50HZ
Compressor Type	T1
Remote	On/Off
Cooling	Yes
Heating	yes

Include 3m copper piping & cable



PRIMOR I

SPLIT AC

P-18000



Model	P-18000
Cpactiy(btu)	18000
Indoor Size(mm)	910x295x210
Outdoor Size(mm)	760x551x256
Loading Qty(pcs/40hq)	211
Refrigerant	R410A
Power	220-240V/50HZ
Compressor Type	T1
Remote	On/Off
Cooling	Yes
Heating	yes

Include 3m copper piping & cable



PRIMOR I

SPLIT AC

P-24000



Model	P-24000
Cpactiy(btu)	24000
Indoor Size(mm)	1010x343x260
Outdoor Size(mm)	900x650x315
Loading Qty(pcs/40hq)	129
Refrigerant	R410A
Power	220-240V/50HZ
Compressor Type	T1
Remote	On/Off
Cooling	Yes
Heating	yes

Include 3m copper piping & cable





PRIMOR Standing AIR CONDITIONER

Floor standing air conditioner is an ideal solution for modern interiors in your home or office.



PF-18000

Model	PF-18000
Cpactiy(Kg)	18000
Product Size(mm)	480x330x1750
Refrigerant	R22
Power	220-240V/50HZ
Compressor	T1
Remote	On/Off
Cooling	Yes
Heating	Yes
Include 4m copper piping & cable	



PF-36000

Model	PF-36000
Cpactiy(Kg)	36000
Product Size(mm)	350x480x1745
Outdoor Size(mm)	902x315x650
Refrigerant	R22
Power	220-240V/50HZ
Compressor	T1
Remote	On/Off
Cooling	Yes
Heating	yes
Include 4m copper piping & cable	





**PRIMOR
VACCUM
CLEANER**

VACUUM CLEANER



PM-DVC21A

Model	PM-DVC21A
Cpactiy/L	21L
N.W./Kg	5.5
G.W./Kg	6.5
Product Size/mm	370x370x545
Gift Box Size/mm	340x310x415
	40HQ/pcs



PM-DVC25A

Model	PM-DVC25A
Cpactiy/L	25L
N.W./Kg	5.7
G.W./Kg	6.6
Product Size/mm	370x370x565
Gift Box Size/mm	340x310x435
	1540



PM-DVC29A

Model	PM-DVC29A
Cpactiy/L	29L
N.W./Kg	5.8
G.W./Kg	6.8
Product Size/mm	370x370x625
Gift Box Size/mm	340x310x495
	1370





PRIMOR MEAT
GRINDER



PMG-23

**1.3Kgs/
min**

**800 w
max-power**

**3Pcs
Cutting Plates**

- Plastic & housing
- ON/OFF , Reverse Function
- Metal Gear
- Innovative gear box System
- Easy Assembly Grinder Head
- Bottom Air Scoop
- Non-Slip Rubber Feet

PMG-25

**1.3Kgs/
min**

**800 w
max-power**

**3Pcs
Cutting Plates**



- Plastic & housing
- ON/OFF , Reverse Function
- Metal Gear
- Innovative gear box System
- Easy Assembly Grinder Head
- Bottom Air Scoop
- Non-Slip Rubber Feet





PMG199



PMG199M1



PMG199M3

**2.0Kgs/
min**

**2000 w
max-power**

**3Pcs
Cutting Plates**

- Powerful and Efficient Motor
- ON/OFF , Reverse Function
- Metal Gear
- Easy Assembly Grinder Head
- Bottom Air Scoop
- NLarge Capacity Metal Hoper
- Stainless Steel Cutting Blade
- ON/OFF , Reverse,Electronic Switch Contol(PMG199)
- Brush Die Casting Aluminum Housing
- With Dust Cover

PRIMOR |

MEAT GRINDER

PRIMOR |

MEAT GRINDER



PMG199A



PMG199AM3



PMG199AM2

**2.0Kgs/
min**

**2000 w
max-power**

**3Pcs
Cutting Plates**

- Powerful and Efficient Motor
- ON/OFF , Reverse Function
- Metal Gear
- Easy Assembly Grinder Head
- Bottom Air Scoop
- NLarge Capacity Metal Hoper
- Stainless Steel Cutting Blade
- ON/OFF /Rev , Electronic Switch Contol(PMG199A)
- Brush Die Casting Aluminum Housing
- With Dust Cover



PMG198



PMG198P



PMG198M

**2.0Kgs/
min**

**2000 w
max-power**

**3Pcs
Cutting Plates**

- Powerful and Efficient Motor
- ON/OFF , Reverse Function
- Metal Gear & Gear Shaft
- Stainless Steel Cutting Blade
- Plastic Housing
- Brush Die Casting Aluminum Housing
- With Dust Cover
- Safety Circuit Breaker to Prevent Motor Burn out
- 2 Speed Choice



PMG-180A

**2.0Kgs/
min**

**3000 w
max-power**

**3Pcs
Cutting Plates**

- Plastic & housing
- ON/OFF , Reverse Function, Stop and Reset
- Metal Gear Box and Gears
- Stainless Steel Front Panel
- Storage Box with Power cord Compartment
- 2 Optional Speed
- Non-Slip Rubber Feet



PMG-36

**2.0Kgs/
min**

**3000 w
max-power**

**3Pcs
Cutting Plates**

- Powerful and Efficient Motor
- Large Capacity Metal Hopper
- Metal Gear Box and Gear
- Stainless Steel Housing
- 2 Optional Speed
- ON/OFF/REV,Direction Switch
- Metal Connector
- Big Air Scoop





PMG-186

**2.0Kgs/
min**

**2000 w
max-power**

**3Pcs
Cutting Plates**

- Powerful and Efficient Motor
- Large Capacity Metal Hopper
- Metal Gear Box and Gear
- Stainless Steel Cutting Blade
- ON/OFF/REV,Direction Switch
- Brushed Chrome Front Panel & top Air Scoop
- Front and Back Vent

PMG-20/20D

**1.3Kgs/
min**

**800 w
max-power**

**3Pcs
Cutting Plates**



- ON/OFF/REV,Direction Switch
- Metal Gear
- Innovative gear box System
- Easy Assembly Grinder Head
- Non-Slip Rubber Feet

PRIMOR

بريمور

 <http://www.primor.ae/>

 info@primor.ae